





DOMINUS SERR. SFLUX / SFLUX ROLLING SHUTTER



FASCIA TRASPARENTE A BIELLA LINEARE
TRANSPARENT ROLLING GRILLES SHUTTER



SERRANDA SFLUX

SFLUX ROLLING SHUTTER

IL MANTO DELLA SFLUX È REALIZZATO CON TUBI IN ACCIAIO ZINCATO DI DIAMETRO 14 MM (A RICHIESTA IN ACCIAIO INOX), COLLEGATI DA BIELLETTE LINEARI (NON SFALSATE), POSIZIONATE CON INTERASSE 400 MM (SFLUX/40) O 200 MM (SFLUX/20). NELLA PARTE INFERIORE È SEMPRE FORNITA UNA FASCIA CIECA (SF) E IL FASCIONE TERMINALE A PAVIMENTO COMPLETO DI ANGOLARE PER IL FISSAGGIO DELLA SERRANDA. È DISPONIBILE IN ACCIAIO ZINCATO E IN ACCIAIO INOX SU RICHIESTA.

THE SFLUX CURTAIN IS MADE OF GALVANIZED STEEL TUBES OF 14 MM DIAMETER (ON REQUEST IN STAINLESS STEEL), CONNECTED BY LINEAR LINK (NOT CRUSHED), PLACED WITH INTERAXIS 400 MM (SFLUX / 40) OR 200 MM (SFLUX / 20). IN THE LOWER PART IT IS ALWAYS PROVIDED A BLIND BAND (SF) AND A BOTTOM PROFILE WITH ANGULAR FOR FIXING. IT IS AVAILABLE IN GALVANIZED STEEL AND STAINLESS STEEL ON REQUEST.

DISPONIBILE IN 2 TIPOLOGIE:

2 TYPES AVAILABLE:

SFLUX/40	SFLUX/20
7,5 kg/m ²	9 kg/m ²

APPLICAZIONI

- Tubo e Bielletta in acciaio zincato (a richiesta acciaio inox)
- Finestra in policarbonato
- Catena laterale da utilizzare con guida C50 pressopiegata

APPLICAZIONI

- Galvanized steel tube and vertical link (stainless steel on request)
- Polycarbonate cap
- Side chain using with C50 guide

TRASPARENZA,
ARIA ED ESTETICA

TRANSPARENCY,
AIR AND
AESTHETICS



DOMINUS SFLUX per una gioielleria.
DOMINUS SFLUX for a jewelry store.

LA FORZA DELL'ACCIAIO E L'ELEGANZA DEL POLICARBONATO

THE STRENGTH OF THE STEEL AND THE ELEGANCE OF POLYCARBONATE

La serranda SFLUX si caratterizza per una nuova estetica elegante e moderna: si presta a varie personalizzazioni e ad utilizzazioni che spaziano dalle chiusure di porticati a vetrine in ambienti commerciali, tramite l'utilizzo di finestre in policarbonato.

The SFLUX model is characterized by a new elegant and modern aesthetics: lends itself to various customizations and uses that range from closures of arcades to shop windows in commercial environments, through the use of polycarbonate windows.



A RICHIESTA
ACCIAIO INOX

STAINLESS STEEL
ON REQUEST

DOMINUS SFLUX per le vetrine di esercizi commerciali.
DOMINUS SFLUX for shop windows.



Una serranda dal design unico, fondamentale per le attività commerciali che desiderano farsi notare: ideale per contesti di pregio.

A rolling shutter with a unique design, essential for the commercial activities that must be noticed: ideal for prestigious contexts.



MANUTENDOOR

**MANUTENDOOR È UN MARCHIO FERRARO.
OFFRE AL MERCATO NAZIONALE SERVIZI DI
MANUTENZIONE E RIPARAZIONE PROFESSIONALI NEL
SETTORE DELLE CHIUSURE RESIDENZIALI ED INDUSTRIALI
E DEI SISTEMI PER PUNTI DI CARICO.**

Norme di riferimento: D. Lgs. 81/08 e UNI 11473.

**La rete nazionale dei Tecnici Manutendoor e la loro
formazione tecnica sono per i Clienti la garanzia di un
servizio efficiente e sempre in linea con le necessità
operative. Manutendoor assicura la disponibilità delle
parti di ricambio dei principali Produttori nazionali
ed esteri e l'aggiornamento continuo sulla normativa
nazionale ed europea dei prodotti assistiti.**

MANUTENDOOR IS A FERRARO TRADE MARK.
IT OFFERS TO THE NATIONAL MARKET A PROFESSIONAL
MAINTENANCE AND REPAIR SERVICES IN THE FIELD OF
RESIDENTIAL AND INDUSTRIAL CLOSURES AND LOADING
POINT SYSTEMS: D. Lgs. 81/08 AND UNI 11473.

The National network of technicians Manutendoor and their
knowledge are, for the customers, a guarantee of efficient
service in line with the company needs. Manutendoor assures
the availability of the spare parts of the main producers
and the continuous updating on the national and European
standards of the treated products.



**I prodotti Ferraro Group srl sono conformi alla normativa
europea CE in materia di chiusure. Per ulteriori
informazioni si prega di contattare i nostri uffici tecnici.**

Ferraro Group SRL products are in conformity with european
regulations CE regarding closures. For further information
please contact our technical offices.

**FERRARO GROUP SRL
S.S. 90 DELLE PUGLIE KM 33
C.DA CAMPOREALE, ZONA P.I.P
83031 ARIANO IRPINO - AV
ITALIA**

**+39 0825 881321
info@ferraroporte.com
www.ferraroporte.com**

SISTEMA DI GESTIONE
QUALITÀ CERTIFICATO

CQY
CERTIQUALITY

UNI EN ISO 9001:2015

ni consorzio
artigianato
industriale
ariano irpino

ACMI



MADE IN ITALY CE

La Ferraro Group srl, si riserva il diritto di modificare le caratteristiche senza preavviso.
Tutte le informazioni e i colori contenuti sono da considerarsi indicativi, non vincolanti e
non costituiscono offerta di prodotto. Tutte le misure si intendono in mm.

Copyright © Ferraro Group srl, All rights reserved.

LUGLIO 2022

Ferraro Group srl reserves the right to change the characteristics without notice. All the
information and the colors contained are to be considered indicative, not binding and do not
constitute product offer. All measures are in mm. Copyright © Ferraro Group srl, All rights
reserved. JULY 2022

